In re Application of:

HIDEAKI MITSUTAKE, ET AL.

Application No.: 09/045,681

Filed: March 23, 1998

For: ELECTRON BEAM APPARATUS AND

IMAGE FORMING APPARATUS

Docket No.: 35.C10499CI/DI

Examiner: A. Patel

Group Art Unit: 2875

Date: October 13, 1999

THE ASSISTANT COMMISSIONER FOR PATENTS

BOX AF

Washington, D.C. 20231

RECEIVED

OCT 1 5 1999

Sir:

TECHNOLOGY CENTER 2800

Transmitted herewith is an Amendment After Final Rejection in the above-identified application.

X No additional fee is required.

The fee has been calculated as shown below:

		C	LAIMS AS AMEN	DED	-	
	(2) CLAIMS REMAINING AFTER AMENDMENT		(4) HIGHEST NO. PREVIOUSLY PAID FOR	(5) PRESENT EXTRA	RATE	ADDITIONAL FEE
TOTAL CLAIMS	7	MINUS	20	= 0	x \$9 \$18	\$ -0-
INDEP. CLAIMS	1	MINUS	3	= 0	x \$39 \$78	\$ -0-
Fee for Multiple Dependent claims \$130°/\$260						·
TOTAL ADDITIONAL FEE FOR THIS AMENDMENT						\$ -0-

°Verified Statement claiming small filed previously.	entity status	is enclosed, if	not
A check in the amount of \$	is enclosed.		
Charge \$ to Deposit Account this sheet is enclosed.	No. 06-1205.	A duplicate copy	of

Any prior general authorization to charge an issue fee under 37 C.F.R. 1.18 to Deposit Account No. 06-1205 is hereby revoked. The Assistant Commissioner is hereby authorized to charge any additional fees under 37 C.F.R. 1.16 and 1.17 which may be required during the entire pendency of this application, or to credit any overpayment, to Deposit Account No. 06-1205. A duplicate copy of this paper is enclosed.
 A check in the amount of \$ 380.00 to cover the fee for a TWO month extension is enclosed.
 A check in the amount of \$ to cover the Information Disclosure Statement fee is enclosed.
 Applicants' undersigned attorney may be reached in our Washington, D.C. office by telephone at (202) 530-1010. All correspondence should continue to be directed to our address given below.

101 1. Trulyar

Registration No. 32,533

FITZPATRICK, CELLA, HARPER & SCINTO 30 Rockefeller Plaza New York, New York 10112-3801 Facsimile: (212) 218-2200

SDM\rnm